CMAQ DETAILED PROJECT LISTING REPORT (FY 2005)

			1	CIVIAQ DETAILED F				(Г 1 2					
STATE	CMAQ	PROJECT	PROJECT TYPE	PROJECT TITLE	PROJECT	voc	co	NOx	PM ₁₀	PM _{2.5}	STATE	FMIS	TIP PROJECT ID
0.7	PROJECT ID	AMOUNT		11100201111122	DESCRIPTION	(kg/day)	(kg/day)	(kg/day)	(kg/day)	(kg/day)	PROJECT ID	PROJECT ID	
Arizona													
Arizona	AZ20050029		Demand Management	MAG: Regionwide	Trip Reduction Program	477	4755	394	348		H671501X	999A042	MAG05-145
Arizona	AZ20050030	\$143,713	Demand Management	MAG: Regionwide	Travel Reduction Program	4	43	4	3		H671501X	999A042	MAG05-124
	. _				PM-10 Certified Street Sweeper								
Arizona	AZ20050026	\$3,969,389	I/M and Other TCMs	MAG: Regionwide	Program				4526		H671601X	999A043	MAG05-130R
		• • • • • • • • • • • • • • • • • • • •			.								
Arizona	AZ20050008		I/M and Other TCMs	Maricopa County: Various locations					394		SS56401C	MMA0043	MMA04-212S
Arizona	AZ20050006		I/M and Other TCMs	Mesa: Various locations	Pave dirt roads	0.4		0.4	409		SS56501C	MES0028	MES03-124R
Arizona	AZ20050028	\$3,901	I/M and Other TCMs	MAG: Regionwide Scottsdale: Pima Rd. from Via	Air Quality Public Involvement	QA	QA	QA	QA		H671501X	999A042	
Arizona	AZ20050022	¢1 372 200	Pedestrian/Bicycle	Linda to Inner Circle	Design and construct multi-use path and overpass	1	14	1	1		SS49901C	SCT0012	SCT04-116R
Alizona	AZZ00300ZZ	\$1,372,290	r edesilian/bicycle	Tempe: Rio Salado Parkway from	patif and overpass	'	14	'			33499010	3010012	30104-11010
Arizona	AZ20050010	\$943,000	Pedestrian/Bicycle	Mill Ave. to Priest Dr.	Construct multi-use path	1	4	1	1		SS54001C	TMP0024	TMP02-006
,Lo.i.a	,122000010	ψο .ο,οοο	. ododina i Diojoio	7 (7 (7 (7 (7 (7 (7 (7 (7 (7 (7 (7 (7 (7	Design and construct at-grade			·			00010010	552	02 000
				ADOT: US 60 at 83rd Ave. and	pedestrian crossing including								
Arizona	AZ20050012	\$714,123	Pedestrian/Bicycle	Peoria Ave.	pedestrian refuges	1	3	1	1		H590001C	060B001	PEO04-104
			·	Chandler: Consolidated Canal bank	ĺ								
				from Ryan Rd. to Riggs Rd. (Phase									
Arizona	AZ20050014	\$707,250	Pedestrian/Bicycle	3)	Construct multi-use path	1	5	1	1		SS50001C	CHN0018	CHN02-012
				Peoria: New River Trail from									
Arizona	AZ20050020	\$571,142	Pedestrian/Bicycle	Northern Ave. to Peoria Ave.	Construct multi-use path	1	3	1	1		SS51003D	PEO0003	PEO02-005CR
				Gilbert: Western - Powerline Trail	Design multi-use path and								
Arizona	AZ20050015	\$311,190	Pedestrian/Bicycle	from Cooper Rd. to Lindsay Rd.	pedestrian amenities	2	19	1	1		SS61003D	GIL0018	GLB09-601D
				Tempe: Mill Ave. from Broadway Rd									
Arizona	AZ20050023	\$282,900	Pedestrian/Bicycle	to Southern Ave.	Widen sidewalks and ramps	1	6	1	1		SS56701C	TMP0025	TMP06-253
			B /B	Litchfield Park: Litchfield Rd. and			_					. 5./	
Arizona	AZ20050017	\$200,000	Pedestrian/Bicycle	Wigwam Blvd.	Design multi-use underpass	1	6	1	1		SS60703D	LPK0004	LPK05-101D
	4700050005	#450.000	D 1 (' 'D' 1		Bicycle Safety Education	00	000	07	- 4		110745041/	0001010	111000001111
Arizona	AZ20050025		Pedestrian/Bicycle	MAG/Valley Metro: Regionwide	Program	33	332	27	24	0.4	H671501X	999A042	MAG09-611A
Arizona	AZ20050027		Pedestrian/Bicycle	MAG: Regionwide	Pedestrian Assistance	QA	QA	QA 075	QA	QA	H671501X	999A042	MAG03-115
Arizona	AZ20050031	\$604,516	Shared Ride	MAG: Regionwide	Regional Rideshare Program Telework and Ozone Outreach	333	3316	275	243		H671501X	999A042	MAG05-128
Arizona	AZ20050032	\$300,000	Shared Ride	MAG/Valley Metro: Regionwide	Program	251	2500	207	183		H671501X	999A042	MAG05-127
Alizona	AZZ003003Z	\$300,000	Traffic Flow	ADOT: US 60 at Stapley and Val	Widen structures for dual left turn	201	2300	201	103		1107 1301X	333A042	WAG03-121
Arizona	AZ20050001	\$5,872,000	Improvements	Vista traffic interchanges	lanes	1	1	1			H601501C	060C010	DOT04-259AC
7.11.2011.0	,	\$0,0.2,000	Traffic Flow	Tiota traine interestangee	Construct dual left turn lanes in		·				110010010	00000.0	2010120010
Arizona	AZ20050011	\$3.767.694	Improvements	ADOT: Interstate-17 at Cactus Rd.	both directions	1	4	1	1		H644001C	017A026	DOT04-112R
					Widen for dual left turn lanes in								
			Traffic Flow	Chandler: Alma School Rd. and	all directions and add north and								
Arizona	AZ20050005	\$3,740,440	Improvements	Warner Rd. intersection	southbound auxiliary lanes	3	9	1	1		SS53401C	CHN0020	CHN00-722R
			Traffic Flow	Mesa: Broadway Rd. from Center	Install SMART corridor traffic								
Arizona	AZ20050024	\$1,270,000	Improvements	St. to Recker Rd.	control system	6	43	6			SS54301C	MES0025	MES03-121RC
		_	Traffic Flow	Maricopa County: Bell Rd. from	Real-Time Traffic Coordination								
Arizona	AZ20050002	\$775,000	Improvements	Grand Ave. to Loop 101 (Phase I)	and Messaging System	7	37	7			SS55501C	MMA0041	MMA04-114
	4700050004	#750.000	Traffic Flow	B	Upgrade traffic signal timing	07	445	-00			00500040	DI IVOOF 4	DI IVOS 504
Arizona	AZ20050021	\$750,000	Improvements	Phoenix: Various locations	equipment	27	115	26			SS59901C	PHX0054	PHX05-501
			Traffic Flow		Purchase equipment and services for ITS traffic control								
Arizona	AZ20050004	\$675.007	Improvements	Avondale: Various locations	system	2	10	2			SS59001C	AVN0005	AVN07-301R
Alizona	AZZ0030004	ψ015,991	Improvements	Avoridale: Various locations	system		10				33390010	AVINOUUS	AVINO7-3011X
			Traffic Flow	Chandler: Arizona Ave. from Elliot	Install fibre optic communication								
Arizona	AZ20050013	\$397.978	Improvements	Rd. to Chandler Blvd.	system (Phase 2)	2	17	2			SS52701C	CHN0019	CHN03-108R
		+++++++++++++++++++++++++++++++++++++			, , , , , , , , , , , , , , , , , , , ,								
					Purchase communications								
			Traffic Flow		equipment install cameras and								
Arizona	AZ20050019	\$366,695	Improvements	Mesa: Various locations	provide wireless network access	150	630	140			SS59601C	MES0029	MES09-606R
			Traffic Flow		Purchase and install radio								
Arizona	AZ20050018	\$278,185	Improvements	Mesa: Various locations	communications system	100	420	93			SS59701C	MES0030	MES05-501
			Traffic Flow	Chandler: 56th St. and Chandler	Construct right turns on three				1	1			
Arizona	AZ20050003	\$196,000	Improvements	Blvd. intersection	approaches	1	1	1			SS53901C	CHN0021	CHN04-217
l			Traffic Flow	Maricopa County: Bell Rd. from SR	Design Intelligent Transportation	l _		l _	1	1			
Arizona	AZ20050007	\$188,600	Improvements	303 to Grand Ave. (Phase II)	Systems improvements	5	26	5			SS59503D	MMA0046	MMA07-301D1
			Troffic Flow		Design traffic management								
Arizono	A 720050040	¢104.000	Traffic Flow	Cilbort: Citawido	center (Phase A) and purchase video wall	64	400	60			0000010	CII 0047	CL BOS 2024
Arizona	AZ20050016	φισ1,999	Improvements Traffic Flow	Gilbert: Citywide	viueo wali	64	482	69	-	-	SS60801C	GIL0017	GLB06-203A
Arizona	AZ20050009	\$1/12 000	Improvements	Peoria: 91st Ave. and Olive Ave.	Design intersection project	1	1	1			SS60303D	PEO0009	PEO06-202D
Alizolia	AZZ0030009	φ143,000	unhiovements	i cona. 915t Ave. and Olive Ave.	Design intersection project	1		-			3300303D	F E00009	F LOUG-202D

Table 3 -	FY2005 Project	Types and Emission	ns Benefits Calculations	
Fiscal Year = '	2005' and Status	Selection Criteria	= 'All' and State = 'Arizona'	

riscai Teai – 2003 and	Status Selection Circ	iciia – Aii anu State	- Ai Eona	
Proposal Category	Number of Proposals Funded	Proposals with Emissions Benefits	Percent with Benefits Reported	
Demand Management	2	2	100 %	
I/M and Other TCMs	4	3	75 %	
Pedestrian/Bicycle	10	9	90 %	
Shared Ride	2	2	100 %	
Traffic Flow Improvements	14	14	100 %	

32

Total


30

94 %


FIGURE 1 - CMAQ OBLIGATIONS FOR FY 2005

Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona' CMAQ Obligations

by Type of Project



Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'



Millions of Dollars

Project Category

Table 5 - Air Quality Analysis by Project Type (VOC, Kg/Day) For FY 2005 Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'

Type of Project	Number 1	Minimum	Median ²	Maximum
Traffic Flow Improvement	14	0	4	150
Shared Ride	2	251	292	333
Pedestrian/Bicycle	9	0	1	33
Demand Management	2	4	241	477
Total	27			

- ¹ The number of projects submitted with VOC emissions analysis.
- ² The median, rather than the mean, is a better representation of average effectiveness because the mean is unduly influenced by relatively few projects with large emissions reductions. The median is the point above or below which 50 percent of all observations lie when ranked highest to lowest. Emissions reductions are provided without comment as to their accuracy.

FIGURE 3 - Expected VOC Emission Reductions (FY 2005)

Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'





Table 6 - Air Quality Analysis by Project Type (CO, Kg/Day) For FY 2005 Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'

Type of Project	Number 1	Minimum	Median ²	Maximum
Traffic Flow Improvement	14	1	21	630
Shared Ride	2	2,500	2,908	3,316
Pedestrian/Bicycle	9	3	6	332
Demand Management	2	43	2,399	4,755
Total	27			

- ¹ The number of projects submitted with CO emissions analysis.
- ² The median, rather than the mean, is a better representation of average effectiveness because the mean is unduly influenced by relatively few projects with large emissions reductions. The median is the point above or below which 50 percent of all observations lie when ranked highest to lowest. Emissions reductions are provided without comment as to their accuracy.

FIGURE 4 - Expected CO Emission Reductions (FY 2005)

Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'



ng per bay

Table 7 - Air Quality Analysis by Project Type (NOx, Kg/Day) For FY 2005 Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'

Type of Project	Number 1	Minimum	Median ²	Maximum
Traffic Flow Improvement	14	0	4	140
Shared Ride	2	207	241	275
Pedestrian/Bicycle	9	0	0	27
Demand Management	2	4	199	394
Total	27			

- ¹ The number of projects submitted with NOx emissions analysis.
- ² The median, rather than the mean, is a better representation of average effectiveness because the mean is unduly influenced by relatively few projects with large emissions reductions. The median is the point above or below which 50 percent of all observations lie when ranked highest to lowest. Emissions reductions are provided without comment as to their accuracy.

FIGURE 5 - Expected NOx Emission Reductions (FY 2005)

Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'




Table 8 - Air Quality Analysis by Project Type (PM10, Kg/Day) For FY 2005 Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'

	_			
Type of Project	Number 1	Minimum	Median ²	Maximum
Traffic Flow Improvement	2	0	0	0
Shared Ride	2	183	213	243
I/M and Other TCMs	3	394	409	4,526
Pedestrian/Bicycle	9	0	0	24
Demand Management	2	3	176	348
Total	18			

- 1 The number of projects submitted with PM 10 emissions analysis.
- ² The median, rather than the mean, is a better representation of average effectiveness because the mean is unduly influenced by relatively few projects with large emissions reductions. The median is the point above or below which 50 percent of all observations lie when ranked highest to lowest. Emissions reductions are provided without comment as to their accuracy.

FIGURE 6 - Expected PM-10 Emission Reductions (FY 2005)

Fiscal Year = '2005' and Status Selection Criteria = 'All' and State = 'Arizona'

